

## Subject index

### Volumes 1–5, 2018

The *number with dot* before page numbers indicates volume number.

#### A

Aalen counting processes 2.8  
ADF regression 2.71, 2.77  
ADF statistic 2.57, 2.58, 2.72, 2.77  
Adjusted least squares (ALS) estimator  
3.21, 3.24  
Adjusted rand index (ARI) 5.21  
Admissible coverings 3.120  
Anticipating stochastic integral 2.34  
AR processes 4.383, 4.394  
ARMA processes 2.52, 4.382, 4.384,  
4.388, 4.394  
Asymptotic additivity (AA) 4.248  
Asset price  
process 2.239, 2.417  
volatility 2.356  
Autocovariance matrix 2.60  
Autoregression 2.56, 2.61, 2.70, 2.76,  
3.60, 3.68  
Attributable proportion (AP) 4.110

#### B

Backward stochastic differential  
equations (BSDE) 4.353  
BDG inequality 4.33, 4.34, 4.44, 4.47,  
4.48, 4.59

Bernstein function 5.358  
Bessel process 3.224–3.227, 3.230,  
5.448  
Bifractional Brownian motion 4.16  
Bivariate VAR model 2.61  
Bonferroni inequality 4.73  
Borel probability measure 4.255  
Brownian motion 2.31, 2.33–2.35,  
2.108, 2.111, 2.186, 2.189–2.197,  
2.234, 2.264, 2.328, 4.16, 4.26,  
4.190, 4.193, 4.195, 4.308, 4.311,  
4.316, 4.355, 5.54, 5.57, 5.58, 5.60,  
5.70, 5.71, 5.76, 5.83, 5.115, 5.146,  
5.147, 5.416–5.418, 5.447, 5.448,  
5.485, 5.492, 5.494, 5.510  
fractional 4.16, 4.17, 4.21,  
4.192–4.194, 5.100, 5.101,  
5.104, 5.105, 5.298, 5.416,  
5.417, 5.420, 5.431  
standard 2.31, 2.41, 2.42, 4.17,  
4.191, 4.308, 5.120, 5.147,  
5.148, 5.417  
Brownian sheet 2.288–2.293  
Burkholder inequality 3.9

**C**

- Càdlàg progressively measurable processes 4.29
- Cantor distribution 4.412
- Cap style cliquet option 5.91, 5.96, 5.335
- Characteristic triplet 1.50, 1.52, 1.59, 1.60
- CIR process 3.2, 3.12, 5.100, 5.114, 5.115, 5.117
  - distribution 5.116
  - fractional 5.100, 5.101, 5.103, 5.105
- Circulant matrix 3.183, 3.347
- Circular bivariate Cauchy distribution 4.80–4.82, 4.88
- Cliquet option 5.81, 5.82, 5.91, 5.92, 5.96, 5.317, 5.318, 5.325, 5.326, 5.331, 5.333
  - price 5.82, 5.87, 5.91–5.96, 5.318, 5.319, 5.324–5.328, 5.331–5.333, 5.335
- Cointegrated sequences 3.60, 3.68–3.70, 3.72, 3.76
- Cointegration 2.52, 2.62–2.64, 2.87
  - test 2.63
- Compensated Poisson random measure 4.26
- Compound Poisson process 2.2, 2.6, 4.165, 4.168, 4.173, 4.184, 4.317, 5.172, 5.176, 5.303, 5.305, 5.308, 5.315, 5.322, 5.510
- Conditionally Gaussian processes 5.484, 5.485, 5.488, 5.489, 5.495
- Confidence intervals (CI) 4.110
- Conic section 3.20, 3.21, 3.24, 3.25, 3.27, 3.34, 3.35, 3.40, 3.44
- Consistency 2.18, 2.20, 2.82, 2.132, 2.149, 2.163, 2.187, 2.299, 2.301, 2.344, 2.346, 2.352
- Constant volatility 2.233, 2.365
- Continuous additive functional 2.108
- Continuous flow 2.189
- Convex random closed set 3.326

**D**

- Daley inequality 3.316
  - Damped stable processes 2.403
  - Deterministic volatility 2.356, 2.364, 2.366
  - Diffusion process 2.252
  - Dirichlet
    - distribution 2.4
    - process 2.4, 2.7
    - process distribution 2.4
  - Discounted price process 1.99, 2.236, 2.238, 2.239
  - Dominating distribution 3.319
  - Domination sequence 3.319
  - Doob inequality 2.207, 2.213, 3.7
  - Double integral 2.140
  - Drifted Brownian motion 5.447, 5.452, 5.454
  - Driftless subordinators 5.511
- E**
- Economical processes 3.133
  - Eigenfunction representation 2.289
  - Entropy power (EP) 4.245
  - Entropy power inequality (EPI) 4.238
  - Equivalent local martingale measure (ELMM) 2.238
  - Equivalent martingale measure (EMM) 2.238–2.240
  - Ergodic scaling transformation 1.74, 1.75, 1.78, 1.79, 1.83, 1.87
  - Ergodicity 1.38, 1.74, 1.79, 1.83
  - Erlang distribution 4.185, 4.316, 5.511
  - Error
    - distribution 3.52, 5.38, 5.51
    - sequences 3.48
  - European call option 1.96, 1.97, 1.101, 2.235, 2.241, 2.242, 2.246, 2.248, 2.356
    - price 2.234, 2.243, 2.355, 2.358, 2.361, 2.364, 2.366
  - Exponential
    - bound 1.169, 1.172, 1.179
    - Chebyshev inequality 5.133
    - process 5.174, 5.182, 5.185, 5.187
  - Extinction probability 4.2, 4.4

**F**

- Faithful coverings 3.121
- Family of coverings 3.120, 3.121, 3.217
- Feller process 2.109–2.114, 2.125
- Finite
  - Lévy measure 5.319, 5.361, 5.364, 5.368
  - symmetric Lévy measures 5.364, 5.365, 5.367
- Finite mixture models (FMM) 2.344
- Folded Cauchy distribution 4.80, 4.82, 4.85
- Folded drifted Brownian motion 5.454
- Forecast
  - error 2.55, 2.73
  - error RMSFE 2.55
  - estimation error 2.82
  - future 2.52
  - horizon 2.61
  - methods 2.51
- Forecasted value 2.55
- Formal information criteria 2.60
- Fractional Brownian
  - field 1.74, 1.75
  - motion 1.74, 1.96, 1.102, 1.103, 1.130, 2.31, 2.33, 2.35–2.37, 2.41, 2.148–2.150, 2.219–2.222, 2.294, 2.334, 3.107, 3.108, 3.112, 3.181–3.184, 3.210, 3.303
  - sheet 1.74, 1.75, 1.77, 1.79, 1.91, 1.92
- Fractional integral 2.220–2.223, 2.227, 2.229, 2.230
- Fractional Skellam processes 4.162
- Fredholm
  - integral equation 2.148, 2.152, 2.153
  - representation 2.288, 2.289, 2.292–2.294
- Fuzzy adjusted Rand index (FARI) 5.9, 5.22
- Fuzzy Rand index (FRI) 5.22

**G**

- Gamma
  - process 4.162, 4.163, 4.165, 5.168, 5.178, 5.182, 5.187, 5.510

- subordinators 4.162, 4.166, 5.514, 5.515, 5.517
- Gaussian
  - process 1.140, 1.141, 1.144, 2.30, 2.32–2.35, 2.241, 2.267, 2.268, 2.282, 2.292–2.294, 2.310, 2.313, 2.314, 3.108, 3.111, 3.184, 4.194, 5.57, 5.417, 5.483–5.496
  - field 5.430
  - random matrix 3.48
  - stationary process 1.140, 1.183–1.185
- Generalized backward stochastic differential equations (GBSDE) 4.25
- Generalized inverse Gaussian (GIG) distribution 5.514
- GINAR processes 5.58
- Gibbs inequality 3.129
- Granger causality 2.52, 2.55, 2.61, 2.62, 2.64, 2.82, 2.86, 2.89
- Granger causality test (GCT) 2.55
- GRETl lag length 2.85

**H**

- Hellinger distance 2.5, 2.394, 2.395
- Hermite processes 2.327, 2.332, 2.334, 5.431
- Hitsuda representation theorem 2.293
- Homogeneity hypothesis 1.203
- Homogeneous
  - distribution 2.176
  - Poisson process 4.413, 4.414, 4.416
- Hurst index 1.74, 1.96, 1.103, 1.105, 1.107, 1.108
- Hybrid method (HM) 5.6
- Hybrid stochastic volatility (HSV) 5.146

**I**

- ID distribution 5.510, 5.511, 5.513, 5.515–5.518
- INAR processes 5.54

- Information criteria 2.61, 2.64, 2.70, 2.75, 2.76, 2.81
- Information matrix 5.232, 5.233
- Inhomogeneous renewal risk 2.174, 2.176
  - model 2.174, 2.176
- Innovation process 2.276
- Invariance principle 2.334
- Invariant
  - density 2.19–2.21
  - probability measures 4.256, 4.266
- Inverse
  - gamma subordinator 5.514, 5.515
  - Gaussian
    - distributions 5.514
    - process 5.510
    - subordinators 4.166, 5.510, 5.514, 5.515
  - stable subordinators 5.516, 5.517
  - subordinators 4.174, 5.451, 5.510–5.512, 5.514, 5.515
- Inverse tempered stable subordinators (ITSS) 5.513
- Inverse Wishart distribution 2.7
- Isonormal Gaussian process 2.33–2.36
- Isotropic random
  - flight 5.462
  - set 3.343
- Iterated
  - Brownian motion 5.448
  - function system (IFS) 4.254
  - multivariate forecasts 2.61
  - process 5.185
  - stochastic integral 2.37
- Itô
  - formula 1.53, 1.55, 1.59, 1.153
  - integral 2.37
- K**
- Karhunen representation 2.289, 2.292
- Kato class 2.108–2.110, 2.114
- Kernel
  - function 5.298, 5.300, 5.302
  - representation 2.159
  - symmetric 2.291
- L**
- Lack of decrease (LOD) 4.224
- Lack of increase (LOI) 4.223
- Lack of monotonicity (LOM) 4.224
- Lack of negativity (LON) 4.229
- Lack of positivity (LOP) 4.228
- Lack of sign (LOS) 4.229
- Lag length 2.56, 2.60, 2.61, 2.71, 2.76, 2.78, 2.82
  - in VAR models 2.60
  - selection 2.60
- Lamperti transformation 1.74, 1.78
- LAN property 1.34–1.39
- Laplace exponent 4.95, 4.163, 4.165–4.167, 4.174, 5.177, 5.178, 5.186, 5.511–5.515
- Laplace transform (LT) 5.513
- Large deviation principle (LDP) 3.96, 3.145, 4.5, 5.486
- Least favorable
  - densities 3.70, 3.73
  - spectral densities 3.71, 3.72, 3.74–3.77
- Least squares estimator (LSE) 2.298, 5.191
- Lebesgue dominated convergence 3.233
- Length vector distributions 3.351
- LePage series 3.139, 3.140, 3.239, 3.242, 3.244
- Level crossing probability 5.483, 5.495
- Lévy
  - kernel 1.50, 1.52, 1.59–1.61
  - martingale 2.191
  - measure 1.37, 1.50, 1.51, 1.59, 1.60, 2.111, 2.125, 2.126, 2.403, 2.404, 2.411, 2.412, 4.163–4.167, 5.88–5.90, 5.169, 5.178, 5.182, 5.185, 5.186, 5.298, 5.322, 5.355, 5.357, 5.358, 5.360, 5.361, 5.364, 5.367, 5.368, 5.371, 5.377, 5.380, 5.381, 5.446, 5.511
  - process 2.2, 2.112, 2.126, 2.210, 2.252, 2.402, 2.403, 2.411, 4.163–4.165, 4.169, 5.87, 5.91, 5.178, 5.181, 5.300, 5.301, 5.310,

- 5.318–5.321, 5.324, 5.333,  
5.335, 5.446, 5.510, 5.511, 5.516
- process independent 5.181
- type process 2.112
- Lévy driven SDE 1.34, 1.37, 1.38,  
1.118
- Lévy fractional Brownian field 1.77,  
1.78
- Linear Lebesgue probability measures  
1.4
- Linear programming problem (LPP)  
2.299
- Linear regression 2.297, 2.301, 2.303
- Local martingale 2.236, 2.238
- Local time 1.110, 1.112  
distribution 1.112
- Logistic distribution 2.137, 2.145
- Lognormal distribution 5.425
- Loss function 3.290
- Lundberg inequality 2.175, 2.176, 5.131
- Lyapunov condition 1.44, 1.205, 1.206
- M**
- Malliavin calculus 2.30, 2.32, 2.35,  
2.166, 2.288, 2.402
- Marginal probability measure 5.489
- Markov
  - binomial distribution 5.212
  - process 1.33, 1.34, 1.38, 1.50, 1.53,  
1.119, 2.107–2.111, 2.115,  
2.165, 2.166, 2.251, 2.252,  
2.265, 2.401, 2.402, 2.417, 3.96,  
3.100, 3.147, 3.192, 3.224,  
3.304, 4.17, 4.18
- Martingale convergence theorem 4.262
- Maximum likelihood
  - estimator 2.17, 2.18, 2.132, 2.163,  
3.29, 3.30, 3.35, 3.37, 3.39, 3.52,  
3.107, 3.109–3.111, 3.113,  
3.270, 3.276, 3.277, 5.6, 5.230
  - estimator construction 2.149, 2.150
- MB distribution 5.212
- Mean squared error (MSE) 5.12
- Meixner
  - distribution 5.82, 5.84–5.87, 5.90,  
5.96
  - process 5.82, 5.85, 5.87, 5.91
- Mild solution 3.137, 3.139
- Minimal martingale measure (MMM)  
2.238, 2.241
- Minimum Hellinger distance 2.394
- Molchan martingale 2.149
- Moving average (MA) 2.52
- Multifractional Brownian motion 4.16
- Multiperiod VAR forecasts 2.61
- Multiple
  - regression line 2.71
  - sclerosis (MS) 4.111, 4.117
  - Wiener integrals 2.36, 2.43
- Multiplicative process 3.12
- Multivariate forecast 2.61
- Mutually independent 4.145, 4.170,  
4.316–4.319, 5.130
- N**
- Nonlocal porous medium equation  
(NPME) 5.457
- Nonlogarithmic convergence rates 3.2
- Nonpositive Bessel process 3.225
- Numerical forecasts 2.92
- O**
- Objective option price 1.96, 1.97,  
1.101, 1.103, 1.105, 1.107, 1.108
- Occupation time option 2.402, 2.404,  
2.417
- Offspring distribution 4.2, 4.3, 4.5, 4.6
- Open set condition (OSC) 3.216
- Optimal linear estimate 3.63, 3.66, 3.67
- Ordinary least squares (OLS) 2.53, 3.24  
cointegrating regression 2.63  
regression 2.58
- Orthogonal regression (OR) 3.24
- P**
- Packing dimension 2.372, 2.373,  
2.378–2.384, 2.386, 2.388
- Parametrix method 2.412
- Partial differential equation (PDE)  
5.114, 5.318
- Pareto distribution 3.171

Pathwise  
   integral 2.36, 2.37  
   volatility 2.30  
 Periodogram 1.181, 1.182, 1.185, 1.186  
 Permanent insurance policy (PIP) 4.128  
 Planar Lebesgue probability measures  
   1.4  
 Poisson  
   point process 2.3, 2.12, 2.13  
   process 2.2, 4.162, 4.163,  
     4.165–4.167, 4.170, 4.174,  
     4.412–4.414, 4.419,  
     5.167–5.169, 5.172, 5.177,  
     5.179, 5.182, 5.185–5.187,  
     5.319, 5.322, 5.510, 5.511,  
     5.517, 5.518  
   random measure (PRM) 4.26, 5.82,  
     5.310, 5.319  
 Policyholder 4.128, 4.129, 4.132–4.136,  
   4.138, 4.141–4.148, 4.151, 4.153,  
   4.156, 4.158  
 Posterior contraction rate 2.2, 2.6, 2.8,  
   2.9  
 Predictable processes 4.29, 4.50  
 Price processes 4.92  
 Process  
   exponential 5.174, 5.182, 5.185,  
     5.187  
   gamma 4.162, 4.165, 5.168, 5.178,  
     5.182, 5.187, 5.510  
   inverse 4.163, 4.173–4.182, 5.168  
   inverse Gaussian 5.510  
   stable 5.510  
   volatility 2.234, 2.240, 2.356  
 Progressively measurable  
   function 4.353  
   processes 4.377  
 Pseudomoments 2.96–2.98, 2.105  
  
**Q**  
 QLR statistic 2.58, 2.72, 2.75, 2.79,  
   2.80  
 Quantile function 4.290

**R**

Rand index (RI) 5.21  
 Random  
   convolution 4.67  
   distribution 3.213, 3.214, 3.35  
   errors 3.49, 3.288  
   flights 4.79, 4.82, 5.459, 5.462,  
     5.464, 5.465  
   matrix 3.48, 3.51, 3.52, 3.288, 5.250,  
     5.274  
   measure 4.29  
   models 5.459, 5.466  
   motion 5.463  
   Poisson measure 4.28  
   polygons 3.326  
   realization 3.49, 3.289  
   rectangle 3.359  
   regular zonotope 3.362  
   set 3.238, 3.325, 3.342, 3.344–3.346,  
     3.359  
   stable noises 5.429  
   symmetric body 3.342, 3.343  
   symmetric convex set 3.326, 3.327,  
     3.343, 3.346, 3.357–3.360, 3.362  
   walk 4.97, 4.98, 4.316, 5.138, 5.142,  
     5.462, 5.463  
   zonotopes 3.326, 3.327, 3.342,  
     3.344–3.347, 3.352, 3.357, 3.362  
 Randomized periodogram 2.31, 2.32,  
   2.37  
   estimator 2.30  
 Randomized time 5.167  
 Randomly stopped  
   processes 4.91  
   sums 3.168  
 Randomness 4.26  
 Regression 2.53, 2.55, 2.57, 2.58, 2.63,  
   2.64, 2.71, 2.72, 2.80, 2.272, 2.299,  
   2.300  
   analysis 2.51, 2.63  
   coefficients 2.53, 2.55  
   design matrix 2.297  
   function 2.58, 5.195, 5.202, 5.203  
   line 2.53, 2.71  
   model 2.53, 2.58, 2.68, 2.301  
   problem 2.269

- Regressors 2.55, 2.59, 2.63, 2.64, 2.68, 2.71, 2.347
  - vector 2.344
- Regular best asymptotically normal (RBAN) estimators 3.31
- Renewal
  - process 5.517, 5.518
  - risk 2.173–2.177
  - sequence 5.517
- Representation
  - integral 2.164
  - kernel 2.159
- Reproducing kernel 2.290, 2.292, 2.294
  - Hilbert space (RKHS) 2.290, 2.292, 5.485
- Response
  - function 4.95, 4.98
  - process 4.94
- Restricted Oppenheim expansion (ROE) 4.275
- Risk model 2.173–2.176, 2.422, 2.424, 2.426, 2.427
- Rosenthal inequality 5.261, 5.271, 5.272
- Ruin probability 1.168, 1.169, 1.172, 1.174, 1.175, 2.175, 2.422, 2.429, 4.315–4.318, 4.328, 4.335, 4.341, 4.345, 4.347, 4.348, 5.131, 5.132, 5.136, 5.137, 5.139, 5.141
- S**
- Scaling transformation 1.74, 1.75, 1.78–1.81, 1.83
- Semimartingale
  - process 2.236
  - quadratic variance 2.30
- Series expansion 2.288, 2.294
- Shannon differential entropy (SDE) 4.234
- Shannon entropy (SE) 4.233
- Significance level 2.57, 2.71, 2.72, 2.75, 2.77, 2.79, 2.80, 2.82, 2.83, 2.86
- Skellam
  - distribution 4.164
  - process 4.162–4.164, 4.166, 4.170, 4.171, 4.177, 4.181, 4.182
- Skewed offspring distributions 4.410
- Skorokhod
  - approach 3.270
  - conditions 3.271
  - integral 2.34, 2.36, 2.37
  - selection theorem 3.306, 3.307
- Sociological data analysis 1.196, 1.203
- Solution
  - pathwise uniqueness 3.15, 3.274, 3.304
- Spectral
  - densities 1.182–1.186, 2.268, 2.270, 2.272, 2.273, 2.276, 2.284, 3.60, 3.62, 3.66, 3.68, 3.70–3.77
  - function 3.61
- Spurious regression 2.57
- Stable
  - convergence 5.299, 5.300, 5.302–5.304, 5.307
  - process 3.134, 3.137, 5.510
  - subordinator 4.103, 4.162, 4.166, 4.167, 4.170, 5.100, 5.167, 5.172, 5.187, 5.446, 5.447, 5.511–5.513, 5.516
  - subordinators distributions 5.513
- State dependent
  - characteristic triplet 1.50, 1.52
  - parameter 1.49, 1.50
- State process upward 4.354
- Stationarity 2.56, 2.60, 2.75, 2.225, 2.276, 2.277
- Stationary
  - ARMA processes 4.382
  - distribution 2.55, 4.254, 4.256, 4.266, 4.267, 5.100
  - field 1.78, 1.79
  - Gaussian process 1.139, 1.140, 1.143, 1.145, 1.147, 2.267, 3.250, 5.72
  - Gaussian series 1.185
  - increment stochastic sequences 3.61
  - independent increments 4.174
  - probability 4.146, 4.153
  - processes 2.321, 2.335
  - sequences 3.60, 3.69
  - sequences linear functionals 3.60

- version 1.38, 1.44, 1.45
- Stiffness matrix 5.529
- Stochastic
  - boundedness 1.15, 1.18, 1.30
  - differential equation (SDE) 3.2, 3.3, 3.15, 3.223, 3.270–3.273, 3.304, 5.85, 5.114, 5.319, 5.522
  - distributions 3.250
  - heat equation 1.129, 1.130
  - integral 2.37, 2.219, 2.220
  - measure (SM) 5.430
  - representation formulae 2.402
  - trend 2.52, 2.56, 2.57, 2.60, 2.63, 2.72, 2.77, 2.80, 2.81
  - volatility 2.234, 2.235, 2.355, 2.356, 5.146
  - volatility models 2.361, 2.366
- Stochastically independent 5.39
- Strike price 2.265, 2.362, 2.417
- Strong asymptotic arbitrage (SAA) 5.416, 5.418
- Subexponential distributions 3.81, 3.167, 4.67
- Subfractional Brownian motion 4.15–4.17, 4.23
- Subjective income 1.204
- Submartingale 2.191
- Subordinated
  - Lévy process 4.168, 5.168, 5.180
  - Poisson process 5.170, 5.176
- Subordinator
  - independent 4.164
  - stable 4.103, 4.162, 4.166, 4.167, 4.170, 5.100, 5.167, 5.172, 5.187, 5.446, 5.447, 5.511–5.513, 5.516
- Surplus process 1.169, 1.174, 1.175
- Survival probability 4.135
- Symmetric
  - convex set 3.326, 3.327, 3.331, 3.333, 3.336, 3.338, 3.340–3.343, 3.357, 3.362
  - distribution 2.134
  - kernel 2.291
  - Lévy measure 5.355, 5.360, 5.364, 5.367, 5.368, 5.378, 5.379
  - Lévy process 5.298
  - matrix 3.293, 3.299
  - stable process 2.108, 5.451
- Synergy index (SI) 4.110
- T**
- Tail probability 5.141
- Tapered data 1.181, 1.182
- Target distribution 4.308
- Tempered
  - Hermite process 2.327, 2.328, 2.331, 2.332, 2.335
  - stable processes 2.403
  - stable subordinators (TSS) 5.446, 5.510, 5.513
  - subordinators 5.446
- Temporary insurance policy (TIP) 4.128
- Term insurance policy (TIP) 4.132
- Total least squares (TLS)
  - estimator 3.48–3.50, 3.52, 3.288–3.290, 3.292, 3.301, 5.248, 5.252
  - problem 3.48, 3.49, 3.288, 3.289
- Transition
  - density 2.108, 2.114, 2.125, 2.126
  - matrix 4.146
  - probability 4.247, 5.212
  - probability density 1.34, 1.35, 1.38, 1.118, 1.119, 2.108–2.114, 2.118, 2.126, 2.166, 2.167, 2.252, 2.403, 2.412, 2.413, 3.224
  - probability function 4.130, 4.131, 4.138
- Translated process 3.344
- Transportation distance 1.50–1.52, 1.59, 1.61, 1.62
- Trimmed regions 1.152, 1.156, 1.157, 1.163
- Truncated pseudomoments 2.96, 2.97
- U**
- Ultimate ruin probability 2.422–2.426, 2.438, 5.130
- Unbiased criterion 1.5, 1.10
- Uncentered packing 2.374–2.377, 2.379
  - dimension 2.373, 2.374, 2.379
- Unconditional probability mass 4.145



- Uncorrelated
  - processes 2.240
  - Wiener processes 2.234
- Undiscounted process 2.238
- Univariate
  - distributions 4.287
  - forecasts 2.61
  - time series 2.52
- Unobserved nonrandom vector 5.247
- Unstable solution 3.192
- V**
- VAR
  - coefficients 2.61
  - model 2.59–2.61, 2.68, 2.80, 2.82, 2.84, 2.88, 2.89
  - model for exports 2.81
- Vector
  - autoregression 2.52, 2.59
  - autoregressive process 5.58
- Vitali coverings 3.120
- Volatility
  - function 2.235, 2.357
  - process 2.234, 2.240, 2.356, 3.2, 4.354
  - risk market price 2.240
  - stochastic 2.234, 2.235, 2.355, 2.356
- Volterra
  - kernel 2.291, 2.293
  - representation 2.291
- W**
- Weak convergence 2.269, 2.327, 2.328, 2.334, 2.335, 2.345, 2.349, 3.2, 3.10, 3.12, 3.14, 3.192, 3.195, 3.204, 3.224
- Weak large deviation principle (WLDP) 5.487
- Weak solution 3.156, 3.197, 3.271, 3.272, 3.277, 3.306
- Weekly separable family 1.8, 1.10
- Weight function (WF) 4.234, 5.354, 5.355
- Weighted differential entropy (WDE) 4.234
- Weighted entropy power inequality (WEPI) 4.239
- Weighted entropy power (WEP) 4.245
- Weighted entropy (WE) 4.234
- Weighted Fisher information inequality (WFII) 4.244
- Weighted Fisher information matrix (WFIM) 4.237
- Weighted information (WI) 4.247
- Wiener process 1.52, 1.96, 1.104, 1.110, 1.154, 2.17, 2.19, 2.149–2.151, 2.203, 2.204, 2.215, 2.223, 2.235, 2.239, 2.240, 2.356, 2.357, 3.2, 3.3, 3.15, 3.98, 3.100, 3.146, 3.150, 3.182, 3.192, 3.196, 3.197, 3.199, 3.224, 3.225, 3.232, 3.233, 3.271–3.277, 3.281, 4.204, 4.210, 4.213, 4.216, 5.100, 5.204
- Z**
- Zeta distribution 3.170, 3.171, 4.71
- Zonotope 3.326–3.328, 3.331–3.333, 3.339, 3.347, 3.357, 3.360, 3.362
  - approximation 3.326, 3.327, 3.362
  - rotational 3.343